

# Contents

Volume 115 1992

<b>Kawamura, K. and Kikuyama, S.</b> Evidence that hypophysis and hypothalamus constitute a single entity from the primary stage of histogenesis	1-9	perturbs the development of a non-neuronal subset of neural crest-derived cells	133-142
<b>Tessarollo, L., Nagarajan, L. and Parada, L. F.</b> <i>c-ros</i> : the vertebrate homolog of the <i>sevenless</i> tyrosine kinase receptor is tightly regulated during organogenesis in mouse embryonic development	11-20	<b>Poirier, F., Timmons, P. M., Chan, C.-T. J., Guénet, J.-L. and Rigby, P. W. J.</b> Expression of the L14 lectin during mouse embryogenesis suggests multiple roles during pre- and post-implantation development	143-155
<b>Blair, S. S.</b> <i>engrailed</i> expression in the anterior lineage compartment of the developing wing blade of <i>Drosophila</i>	21-33	<b>Cuadros, M. A., Coltey, P., Nieto, M. C. and Martin, C.</b> Demonstration of a phagocytic cell system belonging to the hemopoietic lineage and originating from the yolk sac in the early avian embryo	157-168
<b>Heuer, J. G. and Kaufman, T. C.</b> Homeotic genes have specific functional roles in the establishment of the <i>Drosophila</i> embryonic peripheral nervous system	35-47	<b>Swiderski, R. E. and Solursh, M.</b> Differential co-expression of long and short form type IX collagen transcripts during avian limb chondrogenesis in ovo	169-179
<b>Strange, R., Li, F., Saurer, S., Burkhardt, A. and Friis, R. R.</b> Apoptotic cell death and tissue remodelling during mouse mammary gland involution	49-58	<b>Domínguez, V., Piña, B. and Suau, P.</b> Histone H1 subtype synthesis in neurons and neuroblasts	181-185
<b>Vocke, C. D. and Cox, E. C.</b> Establishment and maintenance of stable spatial patterns in <i>lacZ</i> fusion transformants of <i>Polysphondylium pallidum</i>	59-65	<b>Ciapa, B., Borg, B. and Whitaker, M.</b> Polyphosphoinositide metabolism during the fertilization wave in sea urchin eggs	187-195
<b>Mahmood, R., Flanders, K. C. and Morriss-Kay, G. M.</b> Interactions between retinoids and TGF $\beta$ s in mouse morphogenesis	67-74	<b>Bronner-Fraser, M., Artinger, M., Muschler, J. and Horwitz, A. F.</b> Developmentally regulated expression of $\alpha_6$ integrin in avian embryos	197-211
<b>Lantz, V., Ambrosio, L. and Schedl, P.</b> The <i>Drosophila orb</i> gene is predicted to encode sex-specific germline RNA-binding proteins and has localized transcripts in ovaries and early embryos	75-88	<b>Chahine, K. G., Walke, W. and Goldman, D.</b> A 102 base pair sequence of the nicotinic acetylcholine receptor delta-subunit gene confers regulation by muscle electrical activity	213-219
<b>Fischer-Vize, J. A., Vize, P. D. and Rubin, G. M.</b> A unique mutation in the <i>Enhancer of split</i> gene complex affects the fates of the mystery cells in the developing <i>Drosophila eye</i>	89-101	<b>Sardet, C., Speksnijder, J., Terasaki, M. and Chang, P.</b> Polarity of the ascidian egg cortex before fertilization	221-237
<b>Nelson, B. H. and Weisblat, D. A.</b> Cytoplasmic and cortical determinants interact to specify ectoderm and mesoderm in the leech embryo	103-115	<b>Pignoni, F., Steingrímsson, E. and Lengyel, J. A.</b> <i>bicoid</i> and the terminal system activate <i>tailless</i> expression in the early <i>Drosophila</i> embryo	239-251
<b>Manson, J., West, J. D., Thomson, V., McBride, P., Kaufman, M. H. and Hope, J.</b> The prion protein gene: a role in mouse embryogenesis?	117-122	<b>Lillien, L. and Cepko, C.</b> Control of proliferation in the retina: temporal changes in responsiveness to FGF and TGF $\alpha$	253-266
<b>Schatteman, G. C., Morrison-Graham, K., van Koppen, A., Weston, J. A. and Bowen-Pope, D. F.</b> Regulation and role of PDGF receptor $\alpha$ -subunit expression during embryogenesis	123-131	<b>McAllister, L., Goodman, C. S. and Zinn, K.</b> Dynamic expression of the cell adhesion fasciclin 1 during embryonic development in <i>Drosophila</i>	267-276
<b>Morrison-Graham, K., Schatteman, G. C., Bork, T., Bowen-Pope, D. F. and Weston, J. A.</b> A PDGF receptor mutation in the mouse ( <i>Patch</i> )		<b>Lee, J. J., Radice, G., Perkins, C. P. and Costantini, F.</b> Identification and characterization of a novel, evolutionarily conserved gene disrupted by the murine <i>H<math>\beta</math>58</i> embryonic lethal transgene insertion	277-288

# Contents

<b>Orr-Urtreger, A., Bedford, M. T., Do, M.-S., Eisenbach, L. and Lonai, P.</b> Developmental expression of the $\alpha$ receptor for platelet-derived growth factor, which is deleted in the embryonic lethal <i>Patch</i> mutation	289-303	<b>McGrew, L. L., Otte, A. P. and Moon, R. T.</b> Analysis of <i>Xwnt-4</i> in embryos of <i>Xenopus laevis</i> : A <i>Wnt</i> family member expressed in the brain and floor plate	463-473
<b>Aghayan, M., Rao, L. V., Smith, R. M., Jarett, L., Charron, M. J., Thorens, B. and Heyner, S.</b> Developmental expression and cellular localization of glucose transporter molecules during mouse preimplantation development	305-312	<b>Russell, J., Gennissen, A. and Nusse, R.</b> Isolation and expression of two novel <i>Wnt/wingless</i> gene homologues in <i>Drosophila</i>	475-485
<b>Sefton, M., Johnson, M. H. and Clayton, L.</b> Synthesis and phosphorylation of ovomorulin during mouse early development	313-318	<b>Kessel, M.</b> Respecification of vertebral identities by retinoic acid	487-501
<b>Jerka-Dziadosz, M., Garreau de Loubresse, N. and Beisson, J.</b> Development of surface pattern during division in <i>Paramecium</i> . II. Defective spatial control in the mutant <i>kin241</i>	319-335	<b>Fridmacher, V., Locquet, O. and Magre, S.</b> Differential expression of acidic cytokeratins 18 and 19 during sexual differentiation of the rat gonad	503-517
<b>Chory, J.</b> A genetic model for light-regulated seedling development in <i>Arabidopsis</i>	337-354	<b>Rüdel, C. and Rohrer, H.</b> Analysis of glia cell differentiation in the developing chick peripheral nervous system: sensory and sympathetic satellite cells express different cell surface antigens	519-526
<b>Chakrabarti, A., Matthews, G., Colman, A. and Dale, L.</b> Secretory and inductive properties of <i>Drosophila wingless</i> protein in <i>Xenopus</i> oocytes and embryos	355-369	<b>Szabad, J. and Nöthiger, R.</b> Gynandromorphs of <i>Drosophila</i> suggest one common primordium for the somatic cells of the female and male gonads in the region of abdominal segments 4 and 5	527-533
<b>McCaffery, P., Lee, M.-O., Wagner, M. A., Sladek, N. E. and Dräger, U. C.</b> Asymmetrical retinoic acid synthesis in the dorsoventral axis of the retina	371-382	<b>Pringle, N. P., Mudhar, H. S., Collarini, E. J. and Richardson, W. D.</b> PDGF receptors in the rat CNS: during late neurogenesis, PDGF alpha-receptor expression appears to be restricted to glial cells of the oligodendrocyte lineage	535-551
<b>Hahn, R. A. and Birk, D. E.</b> $\beta$ -D xyloside alters dermatan sulfate proteoglycan synthesis and the organization of the developing avian corneal stroma	383-393	<b>Izpisua-Belmonte, J.-C., Brown, J. M., Crawley, A., Duboule, D. and Tickle, C.</b> <i>Hox-4</i> gene expression in mouse/chicken heterospecific grafts of signalling regions to limb buds reveals similarities in patterning mechanisms	553-560
<b>Cumberledge, S., Szabad, J. and Sakonju, S.</b> Gonad formation and development requires the <i>abd-A</i> domain of the bithorax complex in <i>Drosophila melanogaster</i>	395-402	<b>Luider, T. M., Peters-van der Sanden, M. J. H., Molenaar, J. C., Tibboel, D., van der Kamp, A. W. M. and Meijers, C.</b> Characterization of HNK-1 antigens during the formation of the avian enteric nervous system	561-572
<b>MacKenzie, A., Ferguson, M. W. J. and Sharpe, P. T.</b> Expression patterns of the homeobox gene, <i>Hox-8</i> , in the mouse embryo suggest a role in specifying tooth initiation and shape	403-420	<b>Dale, L., Howes, G., Price, B. M. J. and Smith, J. C.</b> Bone morphogenetic protein 4: a ventralising factor in early <i>Xenopus</i> development	573-585
<b>Bayer, T. A. and Campos-Ortega, J. A.</b> A transgene containing <i>lacZ</i> is expressed in primary sensory neurons in zebrafish	421-426	<b>Reynolds, A. J. and Jahoda, C. A. B.</b> Cultured dermal papilla cells induce follicle formation and hair growth by transdifferentiation of an adult epidermis	587-593
<b>Braga, V. M. M., Pemberton, L. F., Duhig, T. and Gendler, S. J.</b> Spatial and temporal expression of an epithelial mucin, Muc-1, during mouse development	427-437	<b>Gawantka, V., Ellinger-Ziegelbauer, H. and Hausen, P.</b> $\beta$ 1-integrin is a maternal protein that is inserted into all newly formed plasma membranes during early <i>Xenopus</i> embryogenesis	595-605
<b>Frank, D. and Harland, R. M.</b> Localized expression of a <i>Xenopus</i> POU gene depends on cell-autonomous transcriptional activation and induction-dependent inactivation	439-448	<b>Chasan, R., Jin, Y. and Anderson, K. V.</b> Activation of the <i>easter</i> zymogen is regulated by five other genes to define dorsal-ventral polarity in the <i>Drosophila</i> embryo	607-616
<b>Oro, A. E., McKeown, M. and Evans, R. M.</b> The <i>Drosophila</i> retinoid X receptor homolog <i>ultraspiracle</i> functions in both female reproduction and eye morphogenesis	449-462		

<b>García-Arrarás, J. E., Lugo-Chinchilla, A. M. and Chévere-Colón, I.</b> The expression of neuropeptide Y immunoreactivity in the avian sympathoadrenal system conforms with two models of coexpression development for neurons and chromaffin cells	617-627	<b>Furner, I. J. and Pumfrey, J. E.</b> Cell fate in the shoot apical meristem of <i>Arabidopsis thaliana</i>	755-764
<b>Coelho, C. N. D., Upholt, W. B. and Kosher, R. A.</b> Role of the chicken homeobox-containing genes <i>GHox-4.6</i> and <i>GHox-8</i> in the specification of positional identities during the development of normal and polydactylous chick limb buds	629-637	<b>Klempt, M., Hutchins, A.-M., Gluckman, P. D. and Skinner, S. J. M.</b> IGF binding protein-2 gene expression and the location of IGF-I and IGF-II in fetal rat lung	765-772
<b>Jones, C. M., Lyons, K. M., Lapan, P. M., Wright, C. V. E. and Hogan, B. L. M.</b> DVR-4 (Bone Morphogenetic Protein-4) as a posterior-ventralizing factor in <i>Xenopus</i> mesoderm induction	639-647	<b>Bacon, J. P. and Blagburn, J. M.</b> Ectopic sensory neurons in mutant cockroaches compete with normal cells for central targets	773-784
<b>Ovsenek, N., Zorn, A. M. and Krieg, P. A.</b> A maternal factor, OZ-1, activates embryonic transcription of the <i>Xenopus laevis</i> <i>GS17</i> gene	649-655	<b>Anjard, C., Pinaud, S., Kay, R. R. and Reymond, C. D.</b> Overexpression of <i>Dd PK2</i> protein kinase causes rapid development and affects the intracellular cAMP pathway of <i>Dictyostelium discoideum</i>	785-790
<b>Rong, P. M., Teillet, M.-A., Ziller, C. and Le Douarin, N. M.</b> The neural tube/notochord complex is necessary for vertebral but not limb and body wall striated muscle differentiation	657-672	<b>Clarke, H. J., Oblin, C. and Bustin, M.</b> Developmental regulation of chromatin composition during mouse embryogenesis: somatic histone H1 is first detectable at the 4-cell stage	791-799
<b>Jo, S. A. and Burden, S. J.</b> Synaptic basal lamina contains a signal for synapse-specific transcription	673-680	<b>Wieschaus, E., Perrimon, N. and Finkelstein, R.</b> <i>orthodenticle</i> activity is required for the development of medial structures in the larval and adult epidermis of <i>Drosophila</i>	801-811
<b>Bolce, M. E., Hemmati-Brivanlou, A., Kushner, P. D. and Harland, R. M.</b> Ventral ectoderm of <i>Xenopus</i> forms neural tissue, including hindbrain, in response to activin	681-688	<b>Harris, L. L., Talian, J. C. and Zelenka, P. S.</b> Contrasting patterns of <i>c-myc</i> and <i>N-myc</i> expression in proliferating, quiescent, and differentiating cells of the embryonic chicken lens	813-820
<b>Ziv, T., Shimoni, Y. and Mitrani, E.</b> Activin can generate ectopic axial structures in chick blastoderm explants	689-694	<b>Larson, R. C., Ignatz, G. G. and Currie, W. B.</b> Platelet derived growth factor (PDGF) stimulates development of bovine embryos during the fourth cell cycle	821-826
<b>Tannahill, D., Isaacs, H. V., Close, M. J., Peters, G. and Slack, J. M. W.</b> Developmental expression of the <i>Xenopus int-2</i> (FGF-3) gene: activation by mesodermal and neural induction	695-702	<b>Sainio, K., Gilbert, S. F., Lehtonen, E., Nishi, M., Kumar, N. M., Gilula, N. B. and Saxén, L.</b> Differential expression of gap junction mRNAs and proteins in the developing murine kidney and in experimentally induced nephric mesenchymes	827-837
<b>Tam, P. P. L. and Tan, S.-S.</b> The somitogenetic potential of cells in the primitive streak and the tail bud of the organogenesis-stage mouse embryo	703-715	<b>Chuong, C. M., Ting, S. A., Widelitz, R. B. and Lee, Y.-S.</b> Mechanism of skin morphogenesis. II. Retinoic acid modulates axis orientation and phenotypes of skin appendages	839-852
<b>Maunoury, R., Robine, S., Pringault, E., Léonard, N., Gaillard, J. A. and Louvard, D.</b> Developmental regulation of villin gene expression in the epithelial cell lineages of mouse digestive and urogenital tracts	717-728	<b>Clifford, R. and Schüpbach, T.</b> The <i>torpedo</i> (DER) receptor tyrosine kinase is required at multiple times during <i>Drosophila</i> embryogenesis	853-872
<b>Lachaume, P., Bouhidel, K., Mesure, M. and Pinon, H.</b> Spatial and temporal expression of the <i>I</i> factor during oogenesis in <i>Drosophila melanogaster</i>	729-735	<b>Allen, V. W. and Kropf, D. L.</b> Nuclear rotation and lineage specification in <i>Pelvetia</i> embryos	873-883
<b>Franco del Amo, F., Smith, D. E., Swiatek, P. J., Gendron-Maguire, M., Greenspan, R. J., McMahon, A. P. and Gridley, T.</b> Expression pattern of <i>Notch</i> , a mouse homolog of <i>Drosophila Notch</i> , suggests an important role in early postimplantation mouse development	737-744	<b>Doherty, P., Skaper, S. D., Moore, S. E., Leon, A. and Walsh, F. S.</b> A developmentally regulated switch in neuronal responsiveness to NCAM and N-cadherin in the rat hippocampus	885-892
<b>Irish, V. F. and Sussex, I. M.</b> A fate map of the <i>Arabidopsis</i> embryonic shoot apical meristem	745-753	<b>Cabrera, C. V.</b> The generation of cell diversity during early neurogenesis in <i>Drosophila</i>	893-901

# Contents

<b>Winberg, M. L., Perez, S. E. and Steller, H.</b> Generation and early differentiation of glial cells in the first optic ganglion of <i>Drosophila melanogaster</i>	903-911	<b>Orr-Urtreger, A. and Lonai, P.</b> Platelet-derived growth factor-A and its receptor are expressed in separate, but adjacent cell layers of the mouse embryo	1045-1058
<b>Xu, T., Caron, L. A., Fehon, R. G. and Artavanis-Tsakonas, S.</b> The involvement of the <i>Notch</i> locus in <i>Drosophila</i> oogenesis	913-922	<b>Brill, G., Vaisman, N., Neufeld, G. and Kalcheim, C.</b> BHK-21-derived cell lines that produce basic fibroblast growth factor, but not parental BHK-21 cells, initiate neuronal differentiation of neural crest progenitors	1059-1069
<b>Theurkauf, W. E., Smiley, S., Wong, M. L. and Alberts, B. M.</b> Reorganization of the cytoskeleton during <i>Drosophila</i> oogenesis: implications for axis specification and intercellular transport	923-936	<b>Hoyle, C., Brown, N. A. and Wolpert, L.</b> Development of left/right handedness in chick heart	1071-1078
<b>Kinloch, R. A., Mortillo, S. and Wassarman, P. M.</b> Transgenic mouse eggs with functional hamster sperm receptors in their zona pellucida	937-946	<b>Bläuer, M., Kohonen, J., Leivonen, I., Vilja, P. and Tuohimaa, P.</b> Inhibin $\alpha$ and $\beta_A$ -subunit immunoreactivity in the chicken embryo during morphogenesis	1079-1086
<b>Sun, F. Z., Hoyland, J., Huang, X., Mason, W. and Moor, R. M.</b> A comparison of intracellular changes in porcine eggs after fertilization and electroactivation	947-956	<b>Cserjesi, P., Lilly, B., Bryson, L., Wang, Y., Sassoon, D. A. and Olson, E. N.</b> MHox: a mesodermally restricted homeodomain protein that binds an essential site in the muscle creatine kinase enhancer	1087-1101
<b>Mohler, J. and Vani, K.</b> Molecular organization and embryonic expression of the <i>hedgehog</i> gene involved in cell-cell communication in segmental patterning of <i>Drosophila</i>	957-971	<b>Jahoda, C. A. B.</b> Induction of follicle formation and hair growth by vibrissa dermal papillae implanted into rat ear wounds: vibrissa-type fibres are specified	1103-1109
<b>Ruberte, E., Friederich, V., Morriss-Kay, G. and Chambon, P.</b> Differential distribution patterns of CRABP I and CRABP II transcripts during mouse embryogenesis	973-987	<b>Steel, K. P., Davidson, D. R. and Jackson, I. J.</b> TRP-2/DT, a new early melanoblast marker, shows that steel growth factor (c-kit ligand) is a survival factor	1111-1119
<b>Dalby, B. and Glover, D. M.</b> 3' non-translated sequences in <i>Drosophila</i> cyclin B transcripts direct posterior pole accumulation late in oogenesis and peri-nuclear association in syncytial embryos	989-997	<b>Gardahaut, M. F., Fontaine-Perus, J., Rouaud, T., Bandman, E. and Ferrand, R.</b> Developmental modulation of myosin expression by thyroid hormone in avian skeletal muscle	1121-1131
<b>Bally-Cuif, L., Alvarado-Mallart, R.-M., Darnell, D. K. and Wassef, M.</b> Relationship between <i>Wnt-1</i> and <i>En-2</i> expression domains during early development of normal and ectopic met-mesencephalon	999-1009	<b>Palacios, R. and Nishikawa, S.-I.</b> Developmentally regulated cell surface expression and function of c-kit receptor during lymphocyte ontogeny in the embryo and adult mice	1133-1147
<b>Moore, T. F. and Whittingham, D. G.</b> Imprinting of phosphoribosyltransferases during preimplantation development of the mouse mutant, <i>Hprt<sup>b-m3</sup></i>	1011-1016	<b>Minie, M. E., Kimura, T. and Felsenfeld, G.</b> The developmental switch in embryonic $\beta$ -globin expression is correlated with erythroid lineage-specific differences in transcription factor levels	1149-1164
<b>Röder, L., Vola, C. and Kerridge, S.</b> The role of the <i>teashirt</i> gene in trunk segmental identity in <i>Drosophila</i>	1017-1033	<b>Saint-Jeannet, J.-P., Levi, G., Girault, J.-M., Kotliansky, V. and Thiery, J.-P.</b> Ventrolateral regionalization of <i>Xenopus laevis</i> mesoderm is characterized by the expression of $\alpha$ -smooth muscle actin	1165-1173
<b>Staels, B. and Auwerx, J.</b> Perturbation of developmental gene expression in rat liver by fibric acid derivatives: lipoprotein lipase and $\alpha$ -fetoprotein as models	1035-1043	<b>Akiyama, T. and Okada, M.</b> Spatial and developmental changes in the respiratory activity of mitochondria in early <i>Drosophila</i> embryos	1175-1182
		<b>Index of Authors and Titles</b>	1183-1187
		<b>Subject Index</b>	1189-1200

